INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

50X1-HUM

		C-0-N-F-	-I-D-E-N-T-	I-A-L		ŝ	
						ŝ	
						ŝ	
						ş	
						ş	
						\$	
				_			50X1-HU
equipment	of Taszái	r s irfield		SKPLCA ST	IAWING T	he lightin	ug
A single a	attachment	t. consisting	t of a	sketch sk		ho litulatio	
SOU	RCE EVALUA	TIONS ARE DEFI	NITIVE. APPR	AISAL OF CONTE	NT IS TEN	ITATIVE.	50X1-HUM
				REFERENCES	עא		50X1-HU
				NO. PAGES REQUIREMENT	¥ В Г		
OSP Inst	rument La	nding Facilit	t y	DATE DISTR.	-3	JUN 1957	
Hunga PR	OCES	SING COF	ÞΥ	REPORT			
	OSP Inst	OSP Instrument La SOURCE EVALUA A single attachment	OSP Instrument Landing Facility SOURCE EVALUATIONS ARE DEFI	OSP Instrument Landing Facility SOURCE EVALUATIONS ARE DEFINITIVE. APPR A single attachment, consisting of a	OSP Instrument Landing Facility OSP Instrument Landing Facility NO. PAGES REQUIREMENT NO. REFERENCES SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTE	OSP Instrument Landing Facility OSP Instrument Landing Facility NO. PAGES REQUIREMENT NO. REFERENCES SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TEN A single attachment, consisting of a sketch showing t	OSP Instrument Landing Facility NO. PAGES REQUIREMENT NO. REFERENCES SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE. A single attachment, consisting of a sketch sharing the lighting

	C-O-N-F-I-D-E-N-T-I-A-L	REPORT
COUNTRY Hungary		DATE DISTR. 5 Apr., 1957
SUBJECT OSP Instrument	Landing Facility	NO. OF PAGES 3
DATE OF INFORMATI		REFERENCES:
PLACE ACQUIRED		50X1-HL
\$		
. т	HIS IS UNEVALUATED INFORMATION	50X1-HUM

C-O-N-F-T-D-R-M-F-Y-A-T.

C-O-N-F-I-D-E-N-T-I-A-L	
-2-	50X1-HUN

OSP Instrument Landing Facility

General Information

The OSP landing system was utilized in Hungary, East Germany, and the Soviet Union. The equipment consisted of both field lighting and electronic components. Although in Hungary, nondirectional homing beacons and 75mc marker beacons were utilized in the OSP system, a localizer and glide path could be incorporated into the system and would be the responsibility of the OSP squadron for maintenance and operation.

The OSP Squadron

At military airfields in Hungary, a special squadron called the OSP squadron (from the Russian letters OCT) installed, maintained, and operated the equipment comprising the OSP blind-landing system. The OSP Squadron was comprised of three detachments and had a personnel strength of 67.

a. The Lucs Detachment maintained the landing lights at the airfield. Inclosure l is a sketch of the OSP Instrument Landing System at Taszar Airfield. In addition to the sketch of the OSP Instruinstalled lighting, this detachment had the following equipment packed into trucks and ready to move:

50X1-HUM

- $\binom{1}{2}$
- 220 transportable runway and taxiway lights
 24 approach lights (red lights aimed at an upward angle
 along the approach to the runway)
 7 lights comprising a landing "T". (Indicated direc-
- (3) tion of landing)
- (4)14 lights comprising a wind direction arrow (T) which was turned remotely by an operator by means of an electric motor control system.
- 4 generators, 220-volt output. (5)
- The Searchlight Detachment maintained three searchlights, b. installed in ZIS-150 trucks, which illuminated the runway and crossed over one another at the touch-down point (See Inclosure 1).
- The Communication Detachment maintained the radio aids to navigation utilized in the OSP system. In Hungary these C. electronic facilities consisted of the following:
 - Outer Beacon (MF non-directional homing beacon)
 Inner Beacon (MF non-directional homing beacon) (2)
 - (3) (4) H F and V H F Direction Finders

75 mc marker beacon transmitters

Utilization

Letdowns were accomplished utilizing the radio compass, marker beacon receiver, and radio altimeter. Three procedures were

C-O-N-F-I-D-E-N-T-I-A-L

C-O-N-F-I-D-E-N-T-I-A-L -3-	50X1-HUM
employed,2 the big circle, "S" angle, and standard and beacon approach.	
Comments	50X1-HUM
Although the radio aids utilized in Hungary were limited to those listed in paragraph 2c above, it is conjectured that localizer and glide path equipment could be incorporated into the OSP system at airfields so equipped. The designation, OSP, was used in the Soviet Zone of Germany, USSR, and Czechoslovakia and throughout the Eastern Bloc.	
1. Comment: "OSP" is believed to mean Obespechenic Slepoy Posacki (Blind Landing Security).	50X1-HUM
	50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

